

DERBIFLASH RS CATALYST

DESCRIPTION

Derbiflash RS Catalyst Powder 50% is a reactive agent used to induce curing of Derbiflash RS resin products.

TECHNICAL CHARACTERISTICS

PROPERTY	
Color	white
Physical State	powder
Packaging	3.5 oz

* All values shown are nominal and subject to normal manufacturing tolerances.

STORAGE & HANDLING

Wear proper PPE (personal protective equipment) when handling this product and avoid contact with skin and eyes. Always store closed containers in a cool, ventilated and dry location away from heat sources. Do not store in direct sunlight or in temperatures below 32°F (0°C) or above 77°F (25°C). To avoid possible exothermic self-accelerating decomposition, do not store in direct sunlight or expose the product to temperatures exceeding 131°F (55°C). Store away from reducing agents, strong oxidizers, acids, alkalis and accelerators.

MIXING INSTRUCTIONS

Using a slow-speed (200-400 rpm) mechanical agitator, thoroughly mix the entire container of resin for two minutes before use. Only catalyze the amount of material that can be used within 10 - 15 minutes. Add the pre-measured catalyst to the resin, stir for two minutes and apply to substrate. The amount of catalyst required is determined by resin weight and ambient temperature.

Refer to specific Derbiflash RS product data sheets for specifications and mixing instructions.

